



# Agri Frequencies

Box 11551, Rynfield 1514, Benoni  
0824294055

[info@agrifrequencies.com](mailto:info@agrifrequencies.com)  
[www.agrifrequencies.com](http://www.agrifrequencies.com)  
[www.facebook.com/AgriFrequencies](https://www.facebook.com/AgriFrequencies)

## Experimenting with seed stimulation - Agri Frequencies.

- Stimulated bean and green pepper seeds.
- The green pepper seeds got moldy due to too much water and therefore they do not feature in the photos'.

### DAY 1: 17 August 2017

Stimulated seeds in the yellow container.




Seeds not stimulated in the blue container.



### DAY 13: 29 August 2017

Stimulated seeds in the yellow container.



Seeds not stimulated in the blue container.





# Agri Frequencies

Box 11551, Rynfield 1514, Benoni  
0824294055

[info@agrifrequencies.com](mailto:info@agrifrequencies.com)  
[www.agrifrequencies.com](http://www.agrifrequencies.com)  
[www.facebook.com/AgriFrequencies](https://www.facebook.com/AgriFrequencies)

**DAY 17: 2 September 2017**

**The seeds were planted out into soil**

Stimulated seeds in the yellow container.



Seeds not stimulated in the blue container.



**DAY 22: 7 September 2017**

**The seedlings are standing outside in the vegetable garden.**

Stimulated seeds marked with yellow.

Seeds not stimulated marked with blue.







# Agri Frequencies

Box 11551, Rynfield 1514, Benoni  
0824294055

[info@agrifrequencies.com](mailto:info@agrifrequencies.com)  
[www.agrifrequencies.com](http://www.agrifrequencies.com)  
[www.facebook.com/AgriFrequencies](https://www.facebook.com/AgriFrequencies)

## RESULTS

Description	TEST – stimulated seeds	CONTROL – seeds not stimulated
Average temperature over the 22 days	7/22° C	7/22° C
Place	In the same windowsill receiving morning sun. From 2/09/2017 the seedlings received sun all day long outside in the vegetable garden.	In the same windowsill receiving morning sun. From 2/09/2017 the seedlings received sun all day long outside in the vegetable garden.
Water	Same amount of structured water every second day, to keep the cotton wet. From 2/09/2017 they received 5min of irrigated water every day	Same amount of structured water every second day, to keep the cotton wet. From 2/09/2017 they received 5min of irrigated water every day
Germination percentage after 13 days	100% (6/6)	50% (3/6)
Germination percentage after 17 days	100% (6/6)	50% (3/6)
Growth after 22 days	All 6 seeds germinated into growing seedlings	Only 3 seeds germinated into growing seedlings
Average number of lateral roots from radicle, per bean seed – after 13 days	6.3	3.1
Comparison of strongest germinating seed from the test and control on day 13		

We will keep you updated as the experiment continues.